The new VW-Porsche 914/2.0.







When the VW-Porsche 914 was first introduced in 1969, it set new standards in its sportscar class. Now these standards have been surpassed by the new VW-Porsche 914/2.0.

Although its performance puts it ahead of its European competitors, the 4-cylinder fuel injected engine, having been further developed by the Porsche Factory, produces its power at low engine speeds.

A maximum and cruising speed of 118 m.p.h. (190 Km/hr) is achieved in fifth gear at only 5000 r.p.m. Because of the short stroke, the average piston speed (11.8 m/sec.) is exceptionally low and, therefore, all performance is achieved within safe operating limits.

The excellent frame construction, with its long wheelbase and wide track, combined with the mid-engine layout, gives the 914 road-holding far in excess of any of its so called competitors.

The "Targa" design is as practical as it is safe.

In fine weather you drive an open car but protected by a safety roll-over bar. In bad weather the 19 lb. (8.9 kg) reinforced glass fibre roof section offers weather protection to the same high standard as a coupé.

The interior trim is functional but still luxurious.

The comfortable shaped seats can be tilted as well as being adjusted forwards and backwards and give good lateral support during high cornering speeds. All controls are in easy reach — even when you have your safety belt fastened.

(If you are more interested in luxury or roadholding you can add a more individual touch by the fitment of the Luxury Kit or Sport Kit, or both together.)

Where you would expect to find an engine in other sports cars you will find lockable luggage compartments in the 914 – one in the front and one in the rear.

Together they offer just over 13 cubic feet (370 litres) – about the same as a medium sized saloon. Why the 914/2.0 is one of the safest cars on the road today, will be willingly explained to you by your VW-Porsche dealer...

With a demonstration test drive....

Technical data and equipment variations


		914/1.7	914/2.0
Engine	Cylinder/displacement	4/1.7.1	4/2.01
	Bore/stroke	90/66 mm (3.54/2.6 in.)	94/71 mm (3.70/2.8 in.)
	Compression ratio	8.2:1	8,0:1
	Performance DIN (SAE)	80 DIN HP/4900 rpm (88 SAE HP/5200 rpm)	100 DIN HP/5000 rpm (110 SAE HP/5200 rpm)
	Max. torque DIN (SAE)	13.6 mkg at 2700 rpm (110 lbs. ft. at 3000 rpm)	16 mkg at 3500 rpm (125 lbs. ft. at 3700 rpm)
	Fuel mixture	electronic fuel injection	electronic fuel injection
Chassis	Front suspension	same as 914/2.0	wishbones and shock absorber struts
	Rear suspension	same as 914/2.0	semi-trailing arms
	Foot brake	same as 914/2.0	dual-circuit disc brakes on all 4 wheels
Electrical equipment	Alternator	same as 914/2.0	alternator 700 W
	Battery	same as 914/2.0	12 V/45 Amp/hr
Wheels		51/2J × 15/165 SR 15	51/zJ × 15/165 HR 15
Tires		tubeless	tubeless
Dimensions Weights	Length/width/height Unladen weight Permissible load	same as 914/2.0 same as 914/2.0 same as 914/2.0	3985/1650/1230 mm (156.9/65/48.4 in.) 950 kg (2095 lb.) 270 kg (595 lb.)
Driving performance	Maximum speed Acceleration 0-100 km/h (0-62 mph) Fuel consuption (DIN standard test)	175 km/h (109 mph) 13,0 seconds 8 l per 100 km (29.0 US mpg, 34.8 lmp, mpg) (95 ROZ)	190 km/h (118 mph) 10,5 seconds 7,8 l per 100 km (30.2 US mpg, 36.0 lmp. mpg) (95 ROZ)

Optional equipment for both models

Appearance group
Pile-type carpet.
Competition steering wheel.
Center console with clock, oil temperature gauge and voltage meter.
Leather sleeve for shift lever.
Vinyl-covered roll bar.
Chrome stripped edges on roll bar.
Dual-tone horn.

Performance group Forged alloy wheels. Front and rear stabilizers. H-4 iodine headlights.

In some cases, the cars pictured in this catalog have been provided with optional equipment or equipment required in specific countries and thus do not always correspond to equipment available or standard at your local authorized Porsche Audi dealer. Rights reserved to make design and equipment atterations without notice.



VW-Porsche Vertriebsgesellschaft mbH 714 Ludwigsburg · Porschestraße 15-19

Herausgeber: VW-Porsche Vertriebsgesoflischaft mbH, Abt. Marketing-Werbung 1005;20 - Printed in Germany - SVA, Ludwigsburg